

WQS 双吸潜水排污泵性能参数

| 序号 | 型号 | 流量 m ³ /h | 扬程 m | 效率 % | 功率 kw | 转速 r/min | 序号 | 型号 | 流量 m ³ /h | 扬程 m | 效率 % | 功率 kw | 转速 r/min |
|----|---------------------|-------------------------|---------|---------|----------|-------------|----|---------------------|-------------------------|---------|---------|----------|-------------|
| 1 | 100WQS80-10-4-4 | 80 | 10 | 68.1 | 4 | 1450 | 31 | 150WQS200-80-90-2 | 200 | 80 | 64.6 | 90 | 2900 |
| 2 | 100WQS100-12-5.5-4 | 100 | 12 | 71.3 | 5.5 | 1450 | 32 | 200WQS250-9-11-6 | 250 | 9 | 69.7 | 11 | 960 |
| 3 | 100WQS100-15-7.5-4 | 100 | 15 | 68.1 | 7.5 | 1450 | 33 | 200WQS250-12-15-6 | 250 | 12 | 68.1 | 15 | 960 |
| 4 | 100WQS100-20-11-4 | 100 | 20 | 66.1 | 11 | 1450 | 34 | 200WQS250-15-18.5-6 | 250 | 15 | 69.0 | 18.5 | 960 |
| 5 | 100WQS100-25-15-4 | 100 | 25 | 60.6 | 15 | 1450 | 35 | 200WQS250-20-22-4 | 250 | 20 | 71.9 | 22 | 1450 |
| 6 | 100WQS100-30-18.5-4 | 100 | 30 | 58.9 | 18.5 | 1450 | 36 | 200WQS250-25-30-4 | 250 | 25 | 66.8 | 30 | 1450 |
| 7 | 100WQS100-40-22-2 | 100 | 40 | 66.1 | 22 | 2900 | 37 | 200WQS250-32-37-4 | 250 | 32 | 69.3 | 37 | 1450 |
| 8 | 100VVQS100-50-30-2 | 100 | 50 | 60.6 | 30 | 2900 | 38 | 200WQS250-40-45-4 | 250 | 40 | 71.2 | 45 | 1450 |
| 9 | 100VVQS100-60-37-2 | 100 | 60 | 63.1 | 37 | 2900 | 39 | 200WQS250-45-55-4 | 250 | 45 | 69.7 | 55 | 1450 |
| 10 | 100WQS100-70-45-2 | 100 | 70 | 60.6 | 45 | 2900 | 40 | 200WQS250-55-75-4 | 250 | 55 | 62.4 | 75 | 1450 |
| 11 | 100WQS100-80-45-2 | 100 | 80 | 64.6 | 45 | 2900 | 41 | 200WQS250-65-90-4 | 250 | 65 | 65.6 | 90 | 1450 |
| 12 | 150WQS150-10-7.5-4 | 150 | 10 | 68.1 | 7.5 | 1450 | 42 | 200WQS300-7-11-6 | 300 | 7 | 69.4 | 11 | 960 |
| 13 | 150WQS150-15-11-4 | 150 | 15 | 69.7 | 11 | 1450 | 43 | 200WQS300-10-15-6 | 300 | 10 | 71.7 | 15 | 960 |
| 14 | 150WQS150-20-15-4 | 150 | 20 | 68.1 | 15 | 1450 | 44 | 200WQS300-12-18.5-6 | 300 | 12 | 70.7 | 18.5 | 960 |
| 15 | 150WQS150-25-18.5-4 | 150 | 25 | 69.0 | 18.5 | 1450 | 45 | 200WQS300-15-22-4 | 300 | 15 | 71.3 | 22 | 1450 |
| 16 | 150WQS150-30-22-4 | 150 | 30 | 69.7 | 22 | 1450 | 46 | 200WQS300-20-30-4 | 300 | 20 | 71.7 | 30 | 1450 |
| 17 | 150WQS150-35-30-4 | 150 | 35 | 63.6 | 30 | 1450 | 47 | 200WQS300-25-37-4 | 300 | 25 | 71.6 | 37 | 1450 |
| 18 | 150WQS150-40-37-2 | 150 | 40 | 63.1 | 37 | 2900 | 48 | 200WQS300-30-45-4 | 300 | 30 | 71.7 | 45 | 1450 |
| 19 | 150VVQS150-50-45-2 | 150 | 50 | 60.6 | 45 | 2900 | 49 | 200WQS300-40-55-4 | 300 | 40 | 72.3 | 55 | 1450 |
| 20 | 150WQS150-65-55-2 | 150 | 65 | 64.4 | 55 | 2900 | 50 | 200WQS300-50-75-4 | 300 | 50 | 68.1 | 75 | 1450 |
| 21 | 150WQS150-80-75-2 | 150 | 80 | 62.3 | 75 | 2900 | 51 | 200WQS300-55-75-4 | 300 | 55 | 72.9 | 75 | 1450 |
| 22 | 150WQS200-11-11-4 | 200 | 11 | 68.1 | 11 | 1450 | 52 | 200WQS300-60-90-4 | 300 | 60 | 68.1 | 90 | 1450 |
| 23 | 150WQS200-15-15-4 | 200 | 15 | 68.1 | 15 | 1450 | 53 | 200WQS350-8-15-6 | 350 | 8 | 63.6 | 15 | 960 |
| 24 | 150WQS200-18-18.5-4 | 200 | 18 | 66.3 | 18.5 | 1450 | 54 | 200WQS350-11-18.5-6 | 350 | 11 | 70.9 | 18.5 | 960 |
| 25 | 150WQS200-22-22-4 | 200 | 22 | 68.1 | 22 | 1450 | 55 | 200WQS350-13-22-6 | 350 | 13 | 70.4 | 22 | 960 |
| 26 | 150WQS200-27-30-4 | 200 | 27 | 65.4 | 30 | 1450 | 56 | 200WQS350-17-30-4 | 350 | 17 | 67.6 | 30 | 1450 |
| 27 | 150WQS200-32-37-4 | 200 | 32 | 62.8 | 37 | 1450 | 57 | 200WQS350-22-37-4 | 350 | 22 | 66.7 | 37 | 1450 |
| 28 | 150WQS200-40-45-2 | 200 | 40 | 64.6 | 45 | 2900 | 58 | 200WQS350-28-45-4 | 350 | 28 | 69.8 | 45 | 1450 |
| 29 | 150WQS200-50-55-2 | 200 | 50 | 66.1 | 55 | 2900 | 59 | 200WQS350-35-55-4 | 350 | 35 | 71.4 | 55 | 1450 |
| 30 | 150WQS200-65-75-2 | 200 | 65 | 63.0 | 75 | 2900 | 60 | 200WQS350-42-75-4 | 350 | 42 | 66.8 | 75 | 1450 |

| 序号 | 型号 | 流量 m ³ /h | 扬程 m | 效率 % | 功率 kw | 转速 r/min | 序 号 | 型号 | 流量 m ³ /h | 扬程 m | 效率 % | 功率 kw | 转速 r/min |
|----|---------------------|-------------------------|---------|---------|----------|-------------|--------|---------------------|-------------------------|---------|---------|----------|-------------|
| 61 | 200WQS350-50-90-4 | 350 | 50 | 66.2 | 90 | 1450 | 91 | 300WQS800-13-45-6 | 800 | 13 | 72.1 | 45 | 960 |
| 62 | 200WQS350-60-110-4 | 350 | 60 | 65.0 | 110 | 1450 | 92 | 300WQS800-16-55-6 | 800 | 16 | 72.6 | 55 | 960 |
| 63 | 200WQS400-7-15-6 | 400 | 7 | 63.6 | 15 | 960 | 93 | 300WQSS00-20-75-4 | 800 | 20 | 68.4 | 75 | 1450 |
| 64 | 200WQS400-9-18.5-6 | 400 | 9 | 66.3 | 18.5 | 960 | 94 | 300WQS800-26-90-4 | 800 | 26 | 72.1 | 90 | 1450 |
| 65 | 200WQS400-11-22-6 | 400 | 11 | 68.1 | 22 | 960 | 95 | 300WQSS00-32-110-4 | 800 | 32 | 72.6 | 110 | 1450 |
| 66 | 200WQS400-15-30-4 | 400 | 15 | 68.1 | 30 | 1450 | 96 | 300WQS800-37-132-4 | 800 | 37 | 71.9 | 132 | 1450 |
| 67 | 200WQS400-20-37-4 | 400 | 20 | 69.3 | 37 | 1450 | 97 | 300WQSS00-42-160-4 | 800 | 42 | 67.3 | 160 | 1450 |
| 68 | 200WQS400-25-45-4 | 400 | 25 | 71.2 | 45 | 1450 | 98 | 300VVQS1000-8-37-6 | 1000 | 8 | 69.3 | 37 | 960 |
| 69 | 200WQS400-30-55-4 | 400 | 30 | 69.9 | 55 | 1450 | 99 | 300WQS1000-10-45-6 | 1000 | 10 | 71.2 | 45 | 960 |
| 70 | 200WQS400-40-75-4 | 400 | 40 | 68.4 | 75 | 1450 | 100 | 300WQS1000-12-55-6 | 1000 | 12 | 69.9 | 55 | 960 |
| 71 | 200WQS400-48-90-4 | 400 | 48 | 68.4 | 90 | 1450 | 101 | 300WQS1000-16-75-4 | 1000 | 16 | 68.4 | 75 | 1450 |
| 72 | 200WQS400-55-110-4 | 400 | 55 | 64.1 | 110 | 1450 | 102 | 300WQS1000-20-90-4 | 1000 | 20 | 71.2 | 90 | 1450 |
| 73 | 200WQS400-65-132-4 | 400 | 65 | 63.1 | 132 | 1450 | 103 | 300WQS1000-25-110-4 | 1000 | 25 | 71.9 | 110 | 1450 |
| 74 | 250WQS500-12-30-6 | 500 | 12 | 64.1 | 30 | 960 | 104 | 300WQS1000-30-132-4 | 1000 | 30 | 72.9 | 132 | 1450 |
| 75 | 250WQS500-15-37-4 | 500 | 15 | 65.0 | 37 | 1450 | 105 | 300WQS1000-35-160-4 | 1000 | 35 | 70.1 | 160 | 1450 |
| 76 | 250WQS500-20-45-4 | 500 | 20 | 71.2 | 45 | 1450 | 106 | 350WQS1200-7-37-6 | 1200 | 7 | 71.8 | 37 | 960 |
| 77 | 250WQS500-25-55-4 | 500 | 25 | 71.9 | 55 | 1450 | 107 | 350WQS1200-9-45-6 | 1200 | 9 | 72.9 | 45 | 960 |
| 78 | 250WQS500-30-75-4 | 500 | 30 | 64.1 | 75 | 1450 | 108 | 350VVQS1200-11-55-6 | 1200 | 11 | 72.9 | 55 | 960 |
| 79 | 250WQS500-35-90-4 | 500 | 35 | 62.3 | 90 | 1450 | 109 | 350WQS1200-13-75-4 | 1200 | 13 | 66.7 | 75 | 1450 |
| 80 | 250WQS500-40-90-4 | 500 | 40 | 71.2 | 90 | 1450 | 110 | 350VVQS1200-17-90-4 | 1200 | 17 | 72.7 | 90 | 1450 |
| 81 | 250WQS600-10-30-6 | 600 | 10 | 64.1 | 30 | 960 | 111 | 350WQS1200-22-110-4 | 1200 | 22 | 72.9 | 110 | 1450 |
| 82 | 250WQS600-13-37.0-4 | 600 | 13 | 67.6 | 37 | 1450 | 112 | 350WQS1200-26-132-4 | 1200 | 26 | 72.8 | 132 | 1450 |
| 83 | 250WQS600-16-45.0-4 | 600 | 16 | 68.4 | 45 | 1450 | 113 | 350WQS1200-30-160-4 | 1200 | 30 | 72.1 | 160 | 1450 |
| 84 | 250WQS600-22-55.0-4 | 600 | 22 | 71.9 | 55 | 1450 | 114 | 350WQS1200-35-200-4 | 1200 | 35 | 67.3 | 200 | 1450 |
| 85 | 250WQS600-27-75.0-4 | 600 | 27 | 69.2 | 75 | 1450 | 115 | 350WQS1400-12-75-4 | 1400 | 12 | 71.5 | 75 | 1450 |
| 86 | 250WQS600-32-90.0-4 | 600 | 32 | 68.4 | 90 | 1450 | 116 | 350WQS1500-7-45-6 | 1500 | 7 | 72.8 | 45 | 960 |
| 87 | 250WQS600-40-110-4 | 600 | 40 | 69.9 | 110 | 1450 | 117 | 350WQS1500-9-55-6 | 1500 | 9 | 72.7 | 55 | 960 |
| 88 | 250WQS600-48-132-4 | 600 | 48 | 69.9 | 132 | 1450 | 118 | 350WQS1500-11-75-4 | 1500 | 11 | 70.5 | 75 | 1450 |
| 89 | 250WQS600-55-160-4 | 600 | 55 | 66.1 | 160 | 1450 | 119 | 350WQS1500-14-90-4 | 1500 | 14 | 71.8 | 90 | 1450 |
| 90 | 300WQS800-10-37-6 | 800 | 10 | 69.3 | 37 | 960 | 120 | 350WQS1500-17-110-4 | 1500 | 17 | 71.3 | 110 | 1450 |

| 序号 | 型号 | 流量 m ³ /h | 扬程 m | 效率 % | 功率 kw | 转速 r/min | 序号 | 型号 | 流量 m ³ /h | 扬程 m | 效率 % | 功率 kw | 转速 r/min |
|-----|----------------------|-------------------------|---------|---------|----------|-------------|-----|----------------------|-------------------------|---------|---------|----------|-------------|
| 121 | 350VVQS1500-20-132-4 | 1500 | 20 | 72.9 | 132 | 1450 | 151 | 500WQS2600-10-132-6 | 2600 | 10 | 63.1 | 132 | 960 |
| 122 | 350WQS1500-25-160-4 | 1500 | 25 | 72.1 | 160 | 1450 | 152 | 500WQS2600-13-160-6 | 2600 | 13 | 67.7 | 160 | 960 |
| 123 | 350WQS1500-30-200-4 | 1500 | 30 | 72.1 | 200 | 1450 | 153 | 500WQS2600-17-200-6 | 2600 | 17 | 70.9 | 200 | 960 |
| 124 | 350WQS1500-35-220-4 | 1500 | 35 | 71.5 | 220 | 1450 | 154 | 500WQS2600-19-220-6 | 2600 | 19 | 72.0 | 220 | 960 |
| 125 | 400WQS1800-10-90-6 | 1800 | 10 | 64.1 | 90 | 960 | 155 | 500WQS2600-22-250-4 | 2600 | 22 | 72.4 | 250 | 1450 |
| 126 | 400WQS1800-12-110-6 | 1800 | 12 | 63.0 | 110 | 960 | 156 | 500WQS2600-28-315-4 | 2600 | 28 | 72.1 | 315 | 1450 |
| 127 | 400WQS1800-15-132-6 | 1800 | 15 | 65.6 | 132 | 960 | 157 | 500WQS3000-7-110-6 | 3000 | 7 | 61.2 | 110 | 960 |
| 128 | 400WQS1800-18-160-6 | 1800 | 18 | 64.9 | 160 | 960 | 158 | 500WQS3000-9-132-6 | 3000 | 9 | 65.6 | 132 | 960 |
| 129 | 400WQS1800-24-200-6 | 1800 | 24 | 69.2 | 200 | 960 | 159 | 500WQS3000-12-160-6 | 3000 | 12 | 72.1 | 160 | 960 |
| 130 | 400VVQS1800-26-220-6 | 1800 | 26 | 68.2 | 220 | 960 | 160 | 500WQS3000-15-200-6 | 3000 | 15 | 72.1 | 200 | 960 |
| 131 | 400WQS1800-30-250-4 | 1800 | 30 | 69.2 | 250 | 1450 | 161 | 500WQS3000-17-220-6 | 3000 | 17 | 71.3 | 220 | 960 |
| 132 | 400WQS1800-35-315-4 | 1800 | 35 | 64.1 | 315 | 1450 | 162 | 500WQS3000-20-250-4 | 3000 | 20 | 72.9 | 250 | 1450 |
| 133 | 400WQS2000-9-90-6 | 2000 | 9 | 64.1 | 90 | 960 | 163 | 500WQS3000-25-315-4 | 3000 | 25 | 72.3 | 315 | 1450 |
| 134 | 400WQS2000-11-110-6 | 2000 | 11 | 64.1 | 110 | 960 | 164 | 600WQS3600-6-110-6 | 3600 | 6 | 63.0 | 110 | 960 |
| 135 | 400WQS2000-14-132-6 | 2000 | 14 | 68.0 | 132 | 960 | 165 | 600WQS3600-8-132-6 | 3600 | 8 | 69.9 | 132 | 960 |
| 136 | 400WQS2000-17-160-6 | 2000 | 17 | 68.1 | 160 | 960 | 166 | 600WQS3600-10-160-6 | 3600 | 10 | 72.1 | 160 | 960 |
| 137 | 400VVQS2000-22-200-6 | 2000 | 22 | 70.5 | 200 | 960 | 167 | 600WQS3600-13-200-6 | 3600 | 13 | 71.0 | 200 | 960 |
| 138 | 400WQS2000-24-220-6 | 2000 | 24 | 69.9 | 220 | 960 | 168 | 600WQS3600-15-220-6 | 3600 | 15 | 71.3 | 220 | 960 |
| 139 | 400WQS2000-28-250-4 | 2000 | 28 | 71.8 | 250 | 1450 | 169 | 600WQS3600-17-250-6 | 3600 | 17 | 71.1 | 250 | 960 |
| 140 | 400WQS2000-32-315-4 | 2000 | 32 | 65.1 | 315 | 1450 | 170 | 600WQS3600-20-280-6 | 3600 | 20 | 72.9 | 280 | 960 |
| 141 | 500WQS2200-8-90-6 | 2200 | 8 | 62.7 | 90 | 960 | 171 | 600WQS4000-7-132-6 | 4000 | 7 | 64.2 | 132 | 960 |
| 142 | 500WQS2200-10-110-6 | 2200 | 10 | 64.1 | 110 | 960 | 172 | 600WQS4000-9-160-6 | 4000 | 9 | 68.1 | 160 | 960 |
| 143 | 500WQS2200-12-132-6 | 2200 | 12 | 64.1 | 132 | 960 | 173 | 600VVQS4000-12-200-6 | 4000 | 12 | 72.7 | 200 | 960 |
| 144 | 500WQS2200-15-160-6 | 2200 | 15 | 66.1 | 160 | 960 | 174 | 600WQS4000-14-220-6 | 4000 | 14 | 72.1 | 220 | 960 |
| 145 | 500WQS2200-20-200-6 | 2200 | 20 | 70.5 | 200 | 960 | 175 | 600VVQS4000-16-250-6 | 4000 | 16 | 72.5 | 250 | 960 |
| 146 | 500WQS2200-22-220-6 | 2200 | 22 | 70.5 | 220 | 960 | 176 | 600WQS4000-18-280-6 | 4000 | 18 | 72.9 | 280 | 960 |
| 147 | 500WQS2200-25-250-4 | 2200 | 25 | 70.5 | 250 | 1450 | | | | | | | |
| 148 | 500WQS2200-30-315-4 | 2200 | 30 | 69.6 | 315 | 1450 | | | | | | | |
| 149 | 500WQS2600-6-90-6 | 2600 | 6 | 63.0 | 90 | 960 | | | | | | | |
| 150 | 500WQS2600-8-110-6 | 2600 | 8 | 64.4 | 110 | 960 | | | | | | | |

WQS 双吸潜水排污泵